


## 250 Series DIN Rail and Wall Mounted - Phase Sequence and Phase Failure

MetersUSA  
Meters@MetersUSA.com  
www.MetersUSA.com

### Application:

- » Portable pumps
- » Portable compressors
- » Motor driven mixing equipment
- » Motors - Single Phasing
- » Gensets - correct engine rotation
- » All portable equipment
- » All rotating machines

We also manufacture front of panel mounting phase sequence indicators



*The Crompton phase sequence and phase failure protector relays are designed to monitor the correct phase rotation or sequence of three phase, 3 or 4 wire, supply systems for protection against incorrect phase sequence, loss of one phase and under voltage.*

### Introduction

Rotating machines are particularly vulnerable to incorrect phase sequence. Three phase motors can rotate in the wrong direction, potentially leading to physical damage or the risk of injury to personnel, yet voltage and current readings may appear normal. If one phase is lost because of a blown fuse, electric motors can continue to operate (single phasing) which can result in severe electrical or mechanical damage.

For permanent installations, this relay should be used to monitor the incoming supply, protecting all equipment against incorrect connection at initial installation or after maintenance work. Rotating machines that cannot tolerate reverse rotation or pose significant risk to personnel under this condition should be individually protected with this relay. The possibility of incorrect supply connection is much more likely in portable equipment or marine applications.

### Product Function

The protector continuously monitors the three phase supply. With the correct phase sequence applied, the front panel LED will illuminate and the output relay will be energized. An incorrect sequence or missing phase will de-energize the relay, and the LED will be extinguished. If the supply drops below 85% of its nominal voltage, this condition will also cause a trip.

Important note: If one phase is lost due to a blown fuse, some loads can regenerate the missing voltage. This relay can be used as a phase failure relay providing the regenerated voltage in the open phase is less than 70% of the nominal supply voltage. If there is the possibility of a higher regenerated voltage, the phase balance relay 252-PSF should be used.

### Protection against

- Incorrect phase sequence
- Loss of one phase
- Under voltage

### Protection for

- Portable electrical equipment
- Incorrect sequence connection
- Loss of one phase (which can result in severe electrical/ mechanical damage or physical/ personnel damage due to reverse rotation of motor driven equipment)

**Crompton**  
INSTRUMENTS

MetersUSA  
Meters@MetersUSA.com  
www.MetersUSA.com

## 250 Series DIN Rail and Wall Mounted - Phase Sequence and Phase Failure

MetersUSA  
 Meters@MetersUSA.com  
 www.MetersUSA.com

### Specification


<b>Approvals:</b>	U.L. recognized up to 300V CSA Approved up to 240V	<b>Overload:</b>	1.2 x continuously 1.5 x for 10 x 10 seconds to Symmetric
<b>Nominal Voltage:</b>	100, 110, 120, 208, 220, 230, 240, 277, 380, 400, 415, 440 & 480V	<b>Undervoltage Protection:</b>	Preset at 85% of nominal
<b>System Frequency:</b>	50, 60, or 400Hz (specify)	<b>Weight:</b>	Approximately 0.4kg
<b>Burden:</b>	3VA approx.		

### Product Code Examples

Relay	Input	Protection	ANSI No.	Catalogue No.
3 Phase 3 or 4 wire	120V L-L 60 Hz	Phase sequence, un der voltage	47	252-PVRUPQBXC6
3 Phase 3 or 4 wire	415V L-L 60 Hz	Phase sequence, un der voltage	47	252-PVRUSBBXC6

### Connection Diagrams

252-PVR



Note: No neutral connection is required



MetersUSA  
 Meters@MetersUSA.com  
 www.MetersUSA.com